

Material Safety Data Sheet

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME	FIBER PREP	
COMPANY IDENTIFICATION	LBLA BEAUTY INC. CYPRESS AVE UNIT 401, HERMOSA BEACH, CALIFORNIA, 90254, USA	

Product Name : Primer (APRM)

Date Updated: 06/28/2018

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

Component	CAS NO.	%by Weight(approximate)
Distilled Water	7732-18-5	50%
PVP	9003-39-8	10%
Propylene carbonate	108-32-7	5%
Brij-78	9005-00-9	5%
Brij-52	9004-95-9	4%
Polyethylene glycol	25322-68-3	10%
Ethyl alcohol	64-17-5	10%
Cellulose sodium glycolate	904-32-4	2%
Acryl polymer	9003-01-04	2%
Ethyl Paraben	120-47-8	0.30%
Methyl Paraben	99-76-3	0.30%
Fragrance	N/A	0.40%
Other	Secret	1%

SECTION 3 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW Appearance : Colorless liquid

Potential Health Effects

Eye : May cause eye irritation.

Skin : May cause skin irritation.

Ingestion : May cause digestive tract disturbances.

The toxicological properties of this substance have not been fully investigated.

May be harmful if swallowed. Inhalation : May cause respiratory tract irritation.

The toxicological properties of this substance have not been fully investigated. Chronic : No information found.

Pictograms

Signal word Warning

SECTION 4 – FIRST AID MEASURES

Eyes : Flush eyes with plenty of water.

Skin : Flush skin with plenty of soap and water.

Ingestion : If victim is conscious and alert, give 2-4 cupfuls of milk or water.

Never give anything by mouth to an unconscious person.

Get medical aid immediately.

Inhalation : Get medical aid immediately. Remove from exposure to fresh air immediately.

if not breathing, give artificial respiration. If breathing is difficult, give oxygen. Notes to Physician : Treat symptomatically and supportively.

Antidote : None reported.

SECTION 5 – FIRE-FIGHTING MEASURES

No data available.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

General Information: Use proper personal protective equipment as indicated in Section 8. Spills/Leaks : Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

Clean up spills immediately, observing precautions in the Protective Equipment section.

SECTION 7 – HANDLING AND STORAGE

Handling : Keep away from heat, sparks and flame. Wash thoroughly after handling.

Remove contaminated clothing and wash before reuse. Use with adequate ventilation.

Storage: Keep container closed when not in use.

Store in a cool, dry, well-ventilated area away from incompatible substances. Keep containers tightly closed.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

No data available.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State Color

Odor

pH

Viscosity

Boiling Point

Solubility in Water Specific Gravity/Density

SECTION 10 – STABILITY AND REACTIVITY

Liquid Colorless Fragrance Not available. Not available. Not available. Miscible 0.98g/cm³

Chemical Stability : Stable under normal temperatures and pressures.

Conditions to Avoid : Incompatible materials, strong oxidants.

Incompatibilities with Other Materials : Strong oxidizing agents - strong acids - strong bases strong reducing agents.

Hazardous Decomposition Products : Carbon monoxide, irritating and toxic fumes and gases, carbon dioxide. Hazardous Polymerization : Has not been reported.

SECTION 11 – TOXICOLOGICAL INFORMATION

CAS# 64-17-5: KQ6300000 CAS# 7732-18-5: ZC0110000 LD50/LC50:

CAS# 64-17-5:

Draize test, rabbit, eye: 500 mg Severe; Draize test, rabbit, eye: 500 mg/24H Mild;

Draize test, rabbit, skin: 20 mg/24H Moderate; Inhalation, mouse: LC50 = 39 gm/m³/4H; Inhalation, rat: LC50 = 20000 ppm/10H;

Oral, mouse: LD50 = 3450 mg/kg;

Oral, rabbit: LD50 = 6300 mg/kg; Oral, rat: LD50 = 7060 mg/kg; Oral, rat: LD50 = 9000 mg/kg;

CAS# 7732-18-5:

Oral, rat: LD50 = >90 mL/kg;

Carcinogenicity:

CAS# 64-17-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: Ethanol has been shown to produce fetotoxicity in the embryo or fetus of laboratory animals. Prenatal exposure

to ethanol is associated with a distinct pattern of congenital malformations that have collectively been termed the

"fetal alcohol syndrome". Teratogenicity: Oral, Human - woman: TDLo = 41 gm/kg (female 41 week(s) after conception)

Effects on Newborn - Apgar score (human only) and Effects on Newborn -other neonatal measures or effects

and Effects on Newborn - drug dependence. Reproductive Effects: Intrauterine, Human - woman: TDLo = 200 mg/kg

female fertility index (e.g. # females pregnant per # sperm positive females; # females pregnant per # females mated).

(female 5 day(s) pre-mating) Fertility -Mutagenicity: DNA Inhibition: Human,

Lymphocyte = 220 mmol/L.; Cytogenetic Analysis: Human, Lymphocyte = 1160 gm/L.; Cytogenetic Analysis: Human,

Fibroblast = 12000 ppm.; Cytogenetic Analysis: Human, Leukocyte = 1 pph/72H (Continuous).; Sister Chromatid Exchange:

Human, Lymphocyte =500 ppm/72H (Continuous). Neurotoxicity: No information found

Other Studies:

SECTION 12 – ECOLOGICAL INFORMATION

No data available.

SECTION 13 – DISPOSAL CONSIDERATION

No data available.

SECTION 14 – TRANSPORT INFORMATION

No data available.

SECTION 15 – REGULATORY INFORMATION

No data available.

SECTION 16 – OTHER INFORMATION

No data available.

|

